



















































		GENERAL CATALOG		OCT'20
		Description	Standard Pack Units	Catalog File Data Sheet
POS	H75 BEACONS and its accessories			
1		BAFX0751202 H75 STANDARD BEACON (BAFX) in flexible EVA. Class 2 bands. Standard green, blue or white colors. Anchors not included (see line 8)	90	FC1
		<i>If coated with Class 3 bands its base price increases by 3,35€. Other colors available with price increase of 3%: Red, yellow, black, grey.</i>		FT1
2		BAIC2751202 H75 RUN OVER PROOF BEACON (BAIA) in flexible EVA. Class 2 bands. Standard green, blue or white colors. Anchors not included (see line 9)	90	FC2
		<i>If coated with Class 3 bands its base price increases by 3,35€. Other colors available with price increase of 3%: Red, yellow, black, grey.</i>		FT2
3		BADESP4751202 H75 REMOVABLE BEACON in semi flexible PE. Class 2 bands, with its anchors. Green and Blue are the standard colors.	90	
		<i>With galvanized steel flat base for immediate removal of the shaft. It is set with three expanded Polyamide included. Price increase of 3,35€ if coated with Class 3 band.</i>		FT4
4		BARETP5751202 H75 EJECTABLE BEACON, in flexible PE. Class 2 bands with anchors. Green and Blue are the standard colors.	80	
		<i>With flexible plastic flat base for ejection in case of trampling. It's fixed with three Polyamide screws. Price increase of 3.35€ if coated with Class 3 bands.</i>		FT5
5		BBAS24751202 H75 BASIC2 BEACON, in semi flexible PE, bands with anchors. Green and Blue are the standard colors.	90	
		<i>Price increase by 3,35€ if coated with Class 3 bands.</i>		FT2B
6		FBARETP5751202 Spare shaft for EJECTABLE BEACON in flexible PE Class 2 bands.	90	
		<i>Price increase of 3,35€ if coated with Class 3 band.</i>		FT5
7		FBADESP4751202 Spare shaft for REMOVABLE BEACON, in semi flexible PE, Class 2 bands.	90	
		<i>Price increase of 3,35€ if coated with Class 3 bands.</i>		FT4


		GENERAL CATALOG		OCT'20
		Description	Standard Pack Units	Catalog File Data Sheet
POS	Accesories for H75 beacons			
8	 <p>EXPB181520</p>	<p>Standard expansion anchorage for fixing H75 STANDARD BEACONS. Diam.18mm x 150mm long. With M12x150 screw. Black</p> <p><i>It is installed with 18mm diameter clean drill hole of 16cm depth. Ref.CARSP10111 (line 18) type adhesive or similar it's optional.</i></p>	15	FT72
9	 <p>EXPB222120</p>	<p>Extra strong chemical expansion anchorage for fixing H75 RUN OVER PROOF BEACONS. Diam.22mm x 200mm long. With M12x200 screw. Black.</p> <p><i>It is installed with 22mm diameter clean drill hole of 22cm depth. It needs Henkel SP101 type adhesive or similar not included in price.</i></p>	15	FT74
10	 <p>META1416ZN</p>	<p>Metallic-chemical anchorage for fixing H75 beacons. Diam. 18mm x 180mm long. With M12 short screw. Electro galvanized steel. With 8cm limited depth option.</p> <p><i>It is installed with 16-18mm diameter clean drill hole of 18cm depth. It needs Henkel SP101 type adhesive or similar not included in price.</i></p>	15	FT76
11	 <p>EXPB181620</p>	<p>Standard anchorage for H75 beacon type BBAS2. With M12 x 150mm. Red-Black color.</p> <p><i>It is installed with 18mm diameter clean drill hole of 16cm depth. It does not need adhesive.</i></p>	15	FT78
12	 <p>EXPB141011</p>	<p>Polyamide expansion plug for fixing H75 beacons. Removable or ejectable models. 3 units needed for beacon.</p> <p><i>It is installed with 14mm diameter drill hole of 12cm depth with M10x100mm screw.</i></p>	45	FT77
13	 <p>GUIA1040ZN</p>	<p>Eyebolt for H75 Beacons.</p> <p><i>It is fixed in the superior hole of the H75 beacons already installed in tolls and impassable alignments</i></p>	15	PlanoGUI A 1040
14	 <p>LEXE170014</p>	<p>Magnetic RED long key, hexagonal 17mm for anchors with M10 screws</p> <p><i>It serves for anchorages ref. EXPB181420 with M10 screw</i></p>	1	FT79
15	 <p>LEXE190013</p>	<p>Magnetic BLUE long key, hexagonal 19mm for anchors with M12 screws.</p> <p><i>It serves for anchorages ref. EXPB181520, EXPB222020 and META1416ZN, with M12 screw.</i></p>	1	FT80
16	 <p>TAPAL324520</p>	<p>45mm diameter cap for upper sealing of H75 beacons. Color black</p> <p><i>It serves for H75 bollards types BAFX, BAIA</i></p>	15	
17	 <p>TAPAL325520</p>	<p>55mm diameter cap for upper sealing of H75 beacons. Color black</p> <p><i>It serves for H75 bollards types BADES, BARET & BBAS</i></p>	15	











		GENERAL CATALOG		OCT'20
		Description	Standard Pack Units	Catalog File Data Sheet
18	 <p>CARSP1011</p>	<p>CARSP101 single component adhesive 250 grams cartridge. Grey color.</p> <p><i>Suitable for over-fixing expansion anchors on asphalt substrates and even wet concrete. A cartridge reaches up to 15-20 fixings. Use temperature +40°C +10°C</i></p>	6	
19	 <p>CAPTAGUM25</p>	<p>Epoxy two component adhesive. 2,5 Kg container with its activator in a tube. Grey color.</p> <p><i>Suitable for fixing chemical anchors on asphalt substrates Use temperature +40°C +15°C</i></p>	10 botes de 2,5Kg =25 Kg.	
POS	COMPOUNDED MUSOIRS (HICO)			
20	 <p>HICO1201202-3</p>	<p>Divergent indicator composed of 120cm with non-reflective screen in green or blue color with Class 2 (H.I) white arrows.</p> <p><i>With arrows Class 3, the base price increases by 30,60 €</i></p>	6/16	FCS
21	 <p>HICO1201212-3</p>	<p>Divergent indicator composed of 120cm with Class 1 (E.G) reflective film screen in green or blue color with Class 2 (H.I) white arrows.</p> <p><i>With arrows Class 3, the base price increases by 30,60 €</i></p>	6/16	FCS
22	 <p>HICO1201223-3</p>	<p>Divergent indicator composed of 120cm with Class 2 (H.I) reflective film screen in green or blue color with Class 3 (D.G) white arrows.</p>	6/16	FCS
23	 <p>HICO1701202-3</p>	<p>Divergent indicator composed 170cm with Class 2 (H.I) reflective film screen in green or blue color with Class 2 (H.I) white arrows.</p> <p><i>With arrows Class 3, the base price increases by 40,80 €</i></p>	6/16	FCS
24	 <p>HICO1701212-3</p>	<p>Divergent indicator composed 170cm with Class 1 (E.G) reflective film screen in green or blue color with Class 2 (H.I) white arrows.</p> <p><i>With arrows Class 3, the base price increases by 40,80€</i></p>	6/16	FCS
25	 <p>HICO1701223-3</p>	<p>Divergent indicator composed 170cm with Class 2 (H.I) reflective film screen in green or blue color with Class 3 (D.G) white arrows.</p>	6/16	FCS







		GENERAL CATALOG		OCT'20
		Description	Standard Pack Units	Catalog File Data Sheet
26		MUSOIR1M1202 Divergent indicator composed of 100cm with non-reflective screen in green, blue or yellow color, with Class 2 (H.I) white arrows. Compact base not levelable.	14	
		<i>With arrows Class 3, the base price increases by 24,25. Other Colors on request</i>		
27		MUSOIR1M1212 Divergent indicator composed of 100cm with Class 1 (E.G) reflective film screen in green, blue or yellow color, with Class 2 (H.I) white arrows. Compact base not levelable.	14	
		<i>With arrows Class 3, the base price increases by 24,25. Other Colors on request</i>		
28		MUSOIR1M1223 Divergent indicator composed of 100cm with Class 2 (H.I) reflective film screen in green, blue or yellow color, with Class 3 (D.G) white arrows. Compact base not levelable.	14	
29		HICO1001202-3 Divergent indicator composed of 100cm with non-reflective screen in green, blue or yellow color, with Class 2 (H.I) white arrows.	6/16	
		<i>With arrows Class 3, the base price increases by 24,25€. Other Colors on request</i>		
30		HICO1001212-3 Divergent indicator composed of 100cm of Class 1 (E.G) relective screen in green, blue or yellow color, with Class 2 (H.I) white arrows.	6/16	
		<i>With arrows Class 3, the base price increases by 24,25€. Other Colors on request</i>		
31		HICO1001223-3 Divergent indicator composed of 100cm of Class 2 (H.I) reflective screen in green, blue or yellow color, with Class 3 (D.G) white arrows.	6/16	
32		HICO2001202 Divergent indicator composed of 200cm with Class 2 (H.I) non-reflective screen in green or blue color with Class 2 (H.I) white arrows.	20	
		<i>With arrows Class 3, the base price increases by 40,90 €. Other Colors on request.</i>		
33		HICO2001212 Divergent indicator composed of 200cm with Class 1 (E.G) reflective film screen in green or blue color with Class 2 (H.I) white arrows.	20	
		<i>With arrows Class 3, the base price increases by 40,90. Other Colors on request.</i>		










		GENERAL CATALOG		OCT'20
		Description	Standard Pack Units	Catalog File Data Sheet
34		<p>HICO2001223</p> <p>Divergent indicator composed of 200cm with Class 2 (H.I) reflective film screen in green or blue color with Class 3 (D.G) white arrows.</p>	20	
POS	Spare parts for exchangeable screen divergent indicators H I C O			
35		<p>BASHICO412PA</p> <p>Spare base for HICO100, 120, 170 and 200. It includes its 3 standard anchorages. It does not include leveling feet. Green or black colors.</p> <p><i>Rotomoulded base 7 cm high and 130 cm wide attachable two alternative procedures: Without or with leveling. Fixed with three EXPV222120 anchorages.</i></p>	6/36	FCS
36		<p>PANT1201202-3</p> <p>SPARE screen for HICO120 non-reflective, green or blue colors with Class 2 (H.I) white arrows.</p> <p><i>With arrows Class 3, the base price increases by 30,60 €.Other Colors on request.</i></p>	6/36	FCS
37		<p>PANT1201212-3</p> <p>Spare screen for HICO120 coated Class 1 (E.G) reflective in green or blue, with Class 2 (H.I) white arrows.</p> <p><i>With arrows Class 3, the base price increases by 30,60 €.Other Colors on request.</i></p>	6/36	FCS
38		<p>PANT1201223-3</p> <p>Spare screen for HICO120 coated Class 2 (H.I) reflective film in green or blue, with Class 3(D.G) white arrows.</p> <p><i>Other Colors on request.</i></p>	6/36	FCS FTS
39		<p>PANT1701202-3</p> <p>Spare screen for HICO170, non reflective film, green or blue colors, with Class 2 (H.I) white arrows.</p> <p><i>With arrows Class 3, the base price increases by 40, 80 €. Other Colors on request.</i></p>	6/36	FCS
40		<p>PANT1701212-3</p> <p>Spare screen for HICO170 coated Class 1 (E.G) reflective film in green or blue, with Class 2 (H.I) white arrows.</p> <p><i>With arrows Class 3, the base price increases by 40, 80 €. Other Colors on request.</i></p>	6/36	FCS
41		<p>PANT1701223-3</p> <p>Spare screen for HICO170, Class 2(H.I) reflective film in green or blue, with Class 3(D.G) white arrows.</p> <p><i>Other Colors on request.</i></p>	6/36	FCS









		GENERAL CATALOG		OCT'20
		Description	Standard Pack Units	Catalog File Data Sheet
42		<p>PANT1001202-3</p> <p>SPARE screen for HICO100 non-reflective, green, blue or yellow colors with Class 2 (H.I) white arrows.</p> <hr/> <p><i>With arrows Class 3, the base price increases by 24,25€</i></p>	6/36	
43		<p>PANT1001212-3</p> <p>Spare screen for HICO120 coated Class 1 (E.G) reflective in green, blue or yellow colors, with Class 2 (H.I) white arrows.</p> <hr/> <p><i>With arrows Class 3, the base price increases by 24,25€. Other Colors on request.</i></p>	6/36	
44		<p>PANT1001223-3</p> <p>Spare screen for HICO100 coated Class 2 (H.I) reflective film in green, blue or yellow colors, with Class 3(D.G) white arrows.</p> <hr/> <p><i>Other Colors on request.</i></p>	6/36	
45		<p>PANT2001202</p> <p>Spare screen for HICO200, non reflective film, green, blue or yellow colors, with Class 2 (H.I) white arrows.</p> <hr/> <p><i>With arrows Class 3, the base price increases by 40,90 €. Other Colors on request.</i></p>	6/36	
46		<p>PANT2001212</p> <p>Spare screen for HICO200 coated Class 1 (E.G) reflective film in green, blue or yellow colors, with Class 2 (H.I) white arrows.</p> <hr/> <p><i>With arrows Class 3, the base price increases by 40,90 €. Other Colors on request.</i></p>	6/36	
47		<p>PANT2001223</p> <p>Spare screen for HICO200, Class 2(H.I) reflective film in green, blue or yellow colors, with Class 3(D.G) white arrows.</p> <hr/> <p><i>Other Colors on request.</i></p>	6/36	
Accessories for exchangeable screen divergent indicators H I C O				
48	LEXE190013	Long, magnetic, BLUE key of 19mm hexagonal, for M12screw. For HICO- HIMO installation	1	
49	ETIQUE0000	Client Ultratack adhesive polyester label. Up to two colors.	N	
50	PAROS30020	Threaded leveling feet for HIMO and HICO divergent indicators. Black color.	3	FCS
51	EXPV222120	Standard anchorage for HIMO and HICO divergent indicators. Diam. 22mm x 200mm long. With M12+200 screw. Black	3	
52	EXPV225020	Deep anchorage of 500 mm long for HIMO e HICO installation in soft	3	FT










		GENERAL CATALOG		OCT'20
		Description	Standard Pack Units	Catalog File Data Sheet
POS		SINGLE PART MUSOIRS (HIMO)		
53	 <p>HIMO0701202</p>	54 <i>It's fixed with 2 included anchors. Price increase of 16,00 € with Class 3 arrows.</i>	5/10	FT7-2
54	 <p>HIMO0701212</p>	Single piece 70cm divergent indicator, Class 1 reflective screen, Class 2 white arrows. Green or blue. Not levelable. <i>It's fixed with 2 included anchors. Price increase of 16,00 € with Class 3 arrows.</i>	5/10	FT7-2
55	 <p>HIMO1201202</p>	One piece divergent indicator of 120cm with bare screen, Class 2 white arrows. Green or blue. Adjustable on three included threadable feet. Levelable. <i>It is set with three anchors included. Base price increase of 30,60 € with Class 3 arrows.</i>	5/10	FC6
56	 <p>HIMO1201212</p>	One piece divergent indicator of 120cm with reflective screen, green or blue in class 1, and Class 2 white arrows. Adjustable on three included threadable feet. Levelable. <i>It is set with three anchors included. Base price increase of 30,60 € with Class 3 arrows.</i>	5/10	FC6
57	 <p>HIMO1221202</p>	One piece divergent indicator of 120cm with bare screen, Class 2 white arrows. Green or blue. Not levelable. <i>It is fixed with (4 bags of 25K or with 2 included anchors. Base price increase of 30,60 € with Class 3 arrows.</i>	5/10	FT8-2
58	 <p>HIMO1701202</p>	One piece divergent indicator of 170cm with bare screen, Class 2 white arrows. Green or blue. Adjustable on three included threadable feet. Levelable. <i>It is set with three anchors included. Base price increase of 40,80 € with Class 3 arrows.</i>	4	FC6
59	 <p>HIMO1701212</p>	One piece divergent indicator of 170cm with Class 1 reflective screen, Class 2 arrows. Green or blue. Adjustable on three included threadable feet. Levelable. <i>It is set with three anchors included. Base price increase of 40, 80 € with Class 3 arrows.</i>	4	FC6
Accessories for single piece divergent indicators HIMO				
60	LEXE190013	Long, magnetic, BLUE key of 19mm hexagonal, for M12 screw. For HICO- HIMO installation	1	
61	ETIQUE0000	Client Ultratack adhesive polyester label. Up to two colors	N	
62	PAROS30020	Threaded leveling feet for HIMO and HICO divergent indicators. Black color	9	
63	EXPV222120	Standard anchors for HIMO and HICO divergent indicators. Diam. 22mm x 200mm long. With M12+200 screw. Black	9	
64	EXPV225020	Deep anchorage of 500mm long for HICO and HIMO installation in soft ground. Red-Black	3	








		GENERAL CATALOG		OCT'20
		Description	Standard Pack Units	Catalog File Data Sheet
POS	EUROPA DELINEATOR POST (HAMSS)			
<p style="text-align: center;">EUROPA delineator post with catadioptric plates fitted with high reflectance, two face (conventional road) and single face (motorway), with polyethylene shafts of high density. They have different means of attachment to the ground. Conform to the new standard UNE 135362-2-2012 and with CE MARKING</p>				
65		<p>HAMSO11533 EUROPA delineator post on ground, 115cm, TWO-FACED retroreflecting catadioptric Class R2C2. Only base without shaft. White-Amber</p> <p><i>Retroreflecting with one face is also available at the same price. Other reflectoring colors on request</i></p>	84	<p>FC7</p> <p>FT10 a 14</p>
66		<p>HAMSO13533 EUROPA delineator post on ground, 135cm, TWO-FACED retroreflecting catadioptric Class R2C2. Only base without shaft. White-Amber</p> <p><i>Retroreflecting with one face is also available at the same price. Other reflectoring colors on request</i></p>	84	<p>FC7</p> <p>FT10 a 14</p>
67		<p>HAMSO15533 EUROPA delineator post on ground, 155cm, TWO-FACED retroreflecting catadioptric Class R2C2. Only base without shaft. White-Amber</p> <p><i>Retroreflecting with one face is also available at the same price. Other reflectoring colors on request</i></p>	84	<p>FC7</p> <p>FT10 a 14</p>
POS	Accessories for EUROPA delineator post, fixed to ground			
68		<p>BASUP0120 HAMSS clipsable surface base for attachment to the floor. Black</p> <p><i>This base needs always anchoring pickaxes (see lines 70,71 and 72)</i></p>	84	FT13
69		<p>BASOT0120 HAMSS underground base for fixing to ground HAMSS. Safety wedge included. Black</p>	84	FT17
70		<p>PHASS30014 HAMSS Short expansive Axe, 300mm. Red</p>	84	FT15
71		<p>PHASS50014 HAMSS long expansive Axe, 500mm. Red/Black</p>	84	FT15
72		<p>PHASS70014 HAMSS extra-long expansive Axe, 700mm. Red/Black</p>	84	FT15
73		<p>LEX200020 BLACK special key for fixing to the ground. Hexagonal 20mm M12 screw. Black</p>	1	





		GENERAL CATALOG		OCT'20
		Description	Standard Pack Units	Catalog File Data Sheet
POS		EUROPE DELINEATOR POST, fixed to guardrail HAMSG		
74		HAMSG45033 EUROPE DELINEATOR POST on Guardrail, 45cm, TWO-FACED catadioptric retroreflecting Class R2C2, with galvanized steel fork 3mm angled 30 degrees. White.	72	FC8
		<i>Retroreflecting with one face is also available at the same price. Other reflectoring colors on request</i>		FT20
75		HAMSG45333 EUROPE DELINEATOR POST 45cm, TWO-FACED catadioptric retroreflecting Class R2C2, with galvanized steel vertical fork 3mm. White	72	FC8
		<i>Retroreflecting with one face is also available at the same price. Other reflectoring colors on request</i>		FT21
76		ESPEF12010 Wildlife warning reflectors red, blue or white color.	30	
		<i>Mirror surface in optical PMMA. Fixable with two rivets or screws to any support in the roadside included. On certain supports an intermediate metallic element required: ask for price</i>		
POS		SNOW POSTS for high altitudes		
77		HANI180033 Snow Resistant Road Post. 1800mm diam cylindrical shaft. With 60. Double face reflective plates. Visible height 1.400mm	18	FC13
		Same article with higher shaft: 2.100 mm. Visible height 1.700mm.		FT61
78	VAINAHANI	Setting and orientation pod of rigid PVC, for snow resistant road posts 40cm depth		VA001 - 02
79		PONI3063RB258 Snow milestone in PVC 63mm diameter, 3.00 meters long. 4 Reflective film each 25 cm white (H. I.) and 4 red. 8 reflective film H. I. bands in total (2 m reflectorized).	80	FC13
80	VAINAPONI	Setting to the ground pod with grey PVC for snow resistant road posts diam. 65mm. Grey color. 60cm depth		









		GENERAL CATALOG		OCT'20
		Description	Standard Pack Units	Catalog File Data Sheet
URBAN SIGNS BOLLARDS (ALFIL) for a more beautiful and friendly environment				
81		Asymmetrical ALFIL for signal, one face coated with signs in Class 2. White. 2 anchors included.	2/32	FC9
		Asymmetrical ALFIL for signal, two faces with signs in Class 2. White. 2 anchors included.		FT40
82		Symmetrical ALFIL for signal, one face coated with signs in Class 2. White. 4 anchors included.	2/32	FC9
		Symmetrical ALFIL for signal, two faces coated with Class 2. White, 4 anchors included		FT41
83		Asymmetrical ALFIL for signal, BARE . White.	2/32	FC9
		<i>2 anchors included.</i>		FT40
84		Asymmetrical ALFIL for signal, BARE . White.	2/32	FC9
		<i>4 anchors included.</i>		FT41
85		Special anchorage for ALFIL.	0	FC9
		<i>2 units used in ALFIL80 and 4 units in ALFIL90</i>		FT75
WORK WARNING BEACONS				
86		PVC flexible cylindrical pole 750mm high, 80mm diameter three Class II reflective bands. Orange, blue, green and red.		
		<i>Fixing on the ground by 3 anchors on the perimeter of the base 12x100mm included.</i>		
		1000mm high FLEXIBLE vulcanized rubber beacon, Ø100mm. With 30mm wide reflective band. BLACK.		
		<i>Made of rubber by direct compression vulcanization. 100% recycled material. Great flexibility. Maximum resistance and durability. (Special items by quantity)</i>		
		1000mm high FLEXIBLE PU beacon, Ø100mm. With 30mm wide reflective band. BLACK, RED, GREEN.		
		<i>Manufactured with materials under strict EU regulations, free of heavy metals, harmful elements and contaminants. It allows it to withstand large impacts, returning to its original form since it has high memory properties in shape and resistance</i>		












		GENERAL CATALOG		OCT'20
		Description	Standard Pack Units	Catalog File Data Sheet
POS	FLEXIBLE REFLECTORS FOR WALL			
Body injected Reflector with flexible, highly impact resistant EVA. Catadioptric rectangular plate 75x115mm hermetically injected. Fixable with 3 or 4 blocks type Fischer 6 or 8mm. Warranty resistance to sun and moisture: 10 years.				
87	 CAPTAFL2C12	Two-faced Flexible reflector,retroreflecting with catadioptric color:CRYSTAL-AMBER. Black body.	40/1600	FT91b
88	 CAPTAFL2C15	Two-faced Flexible reflector,retroreflecting with catadioptric color:CRYSTAL-RED Black body.	40/1600	FT91b
89	 CAPTAFL2C11	Two-faced Flexible reflector,retroreflecting with catadioptric color:CRYSTAL-CRYSTAL. Black body.	40/1600	FT91b
90	 CAPTAFL1C01	One-faced Flexible reflector, retroreflecting with catadioptric color:CRYSTAL. Black body.	40/1600	FT91b
91	 CAPTAFL1C02	One-faced Flexible reflector, retroreflecting with catadioptric color:AMBER. Black body.	40/1600	FT91b
92	 CAPTAFL1C03	One-faced Flexible reflector, retroreflecting with catadioptric color:GREEN. Black body.	40/1600	FT91b
93	 CAPTAFL1C04	One-faced Flexible reflector, retroreflecting with catadioptric color:BLUE. Black body.	40/1600	FT91b


		GENERAL CATALOG		OCT'20
		Description	Standard Pack Units	Catalog File Data Sheet
Plastic barrier reflectors CAPTABIM				
Barrier reflector manufactured by injected black polypropilene resistant to UV, with superinfected catadioptric plate tightly in PMMA optical quality. Reflectance colorless plaque: 900CD.LX1.M2 MEASURED according to rule EN12899-3. Classified Class R2C2				
94		Plastic barrier reflector One Face sealed in grey PP and hermetic retroreflecting in PMMA. R2 C2 Class white or amber.	60/2400	FT92
95		Plastic barrier reflector TWO FACES sealed in grey PP and hermetic retroreflecting in PMMA. R2 C2 Class white/amber.	60/2400	FT92
96		Plastic barrier reflector TWO FACES sealed in grey PP and hermetic retroreflecting in PMMA. R2 C2 Class. Special colors: red, green, blue or special combinations like: white-white.	60/2400	FT92
Metal barrier reflectors CAPTABI				
97		Metal barrier reflector ONE SIDE , metallic support, CRYSTAL colored. <i>According to the EN12899-3 standard. Class C2 R2</i>	100	CF01
98		Metal barrier reflector ONE SIDE , metallic support, AMBER colored. <i>According to the EN12899-3 standard. Class C2 R2</i>	100	CF01
99		Metal barrier reflector TWO SIDES , metallic support. CRYSTAL-AMBER colored. <i>According to the EN12899-3 standard. Class C2 R2</i>	60	CF01
Cat eye sandy base with body in ABS and acrylic optics. CE Marking . They comply with Standard UNE-EN 1463-2010.				
100		Cat eye, <u>sand base</u> , white body in ABS and acrylic optics. <i>Dimensions 100x100x20mm. One face white or amber.</i>	100	FT95
101		Cat eye, <u>sand base</u> , white body in ABS and acrylic optics. <i>Dimensions 100x100x20mm. Two faces white-white or white-amber.</i>	100	FT95

		GENERAL CATALOG		OCT'20
Pos		Description	Standard Pack Units	Catalog File Data Sheet
75 cm cones, two pieces, Spanish manufacturing				
102	 CONO75PE2122	Heavy weight 75cm cone, two pieces PE ORANGE, PVC flexible 41x41cm base. R2 Class .22cm white collar.Weight 4,85kg. <i>Classified Class W2 according to rule EN13422 +A1</i>	150	FT84
103	 CONO75PE2130	Heavy weight 75cm cone, two pieces PE ORANGE, PVC flexible 41x41cm base. R2 Class. 30cm white collar.Weight 4,85kg. <i>Classified Class W2 according to rule EN13422 +A1</i>	150	FT84
104	 CONO75PE211010	Heavy weight 75cm cone, two pieces PE ORANGE, PVC flexible 41x41cm base. Two 10+10cm R2 Class white collars. Weight 4,85kg. <i>Classified Class W2 according to rule EN13422 +A1</i>	150	FT84
105	 CONO75LPE2122	Light heavyweight 75cm cone, two pieces PE ORANGE, PVC flexible 41x41cm base. R2 Class. 22cm white collar. Weight 3,6 kg. <i>Classified Class W2 according to rule EN13422 +A1</i>	150	FT83L
106	 CONO75LPE2130	Light heavyweight 75cm cone, two pieces PE ORANGE, PVC flexible 41x41cm base. R2 Class. 30cm white collar. Weight 3,6 kg <i>Classified Class W2 according to rule EN13422 +A1</i>	150	FT83L
107	 CONO75LPE211010	Light heavyweight 75cm cone, two pieces PE ORANGE, PVC flexible 41x41cm base. Two 10+10cm R2 Class white collars. Weight 3,6kg <i>Classified Class W2 according to rule EN13422 +A1</i>	150	FT83L
108	CAMCON7522R2B	22cm cover for SC 75cm cone. Class R2 white color.	25	
109	CAMCON7530R2B	30cm cover for SC 75cm cone. Class R2 white color.		
110	CAMCON7515R2B	Two 15+15cm cover for SC 75cm cone. Class R2 white color.		

		GENERAL CATALOG		OCT'20
		Description	Standard Pack Units	Catalog File Data Sheet
Pos	Other traffic cones			
		Two-piece cone, rubber base and PE body, 1000mm. ORANGE Color Fluorine. Weight 5.30kg. <i>Height: 100 cm. Base: 49x49 cm. Weight: 5,30 kg. A white reflective band of 30 cm in Class 2 (H.I). Color: FLUORESCENT ORANGE. UV anti-bleaching treatment.</i>		
		SEMI-HEAVY 70cm cone, FLEXIBLE ONE-PIECE with BALLASTED BASE riveted to the body. <i>Height: 70 cm. Base: 36x36 cm. Weight: 3.60 kg. 2 white reflective band of 15 + 10cm in Class R2. Color: FLUORESCENT ORANGE. UV anti-bleaching treatment.</i>		
		700mm soft PVC single piece cone. Flexible. Fluorescent ORANGE. <i>Height: 70 cm. Base: 35x35 cm. Weight: 2.30 kg. 2 white reflective band of 15 + 10cm in Class R1. Color: FLUORESCENT ORANGE. UV anti-bleaching treatment.</i>		

		GENERAL CATALOG		OCT'20
Description		Standard Pack Units	Catalog File Data Sheet	
MOVING BARRIERS AND SEPARATORS				
111	BARR158014 	1.500x800mm Work Barrier, nestable in vacuum. Ballasted with water and dry. WHITE and RED. Reflectant zones are in option. Vacuum weight 14kg. 792 meters fit on a trailer <i>Price for single units (unit)</i>	24	FT50
	BARR158010 	<i>Price by unit for orders from 2 to 6 pallets (48 to 144 units)</i> <i>Price by unit for orders from 8 to 20 pallets (192 to 480 units)</i>	24	FT50
112	ESPAC160GRAC 	SHORT urban space delimiter ,with an oven-painted steel railing and a decorated screen with blue or red chevron. <i>With a stainless steel railing base price increases in 158 €. It comes with three anchors included. It's delivered assembled and individually packed.</i>	2	FT67
113	ESPAC190GRAC 	LONG urban space delimiter ,with an oven-painted steel railing and a decorated screen with blue or red chevron. <i>With a stainless steel railing base price increases in 158€.It comes with three anchors included. It's delivered assembled and individually packed</i>	2	FT68
DELINBUS ROAD DIVIDER				
<i>The DELINBUS Lane Separators are delivered at both ends with film class 3 and with its 4 anchors included in the price. Blue and granite standard colors. Ask for other colors: yellow, green...</i>				
114	DELI2041333 	DELINBUS rail separator blue colored.An advanced solution for road division and other uses. <i>Made by rotational molding in medium density polyethylene, hollow with large thickness wall. Weight 18 kg / unit. The price includes the anchors.</i>	30	FT66
115	DELI204GR33 	DELINBUS rail separator granite colored.An advanced solution for road division and other uses. <i>Made by rotational molding in medium density polyethylene, hollow with large thickness wall. Weight 18 kg / unit. The price includes the anchors.</i>	30	FT66
116	EXPD181420 	Spare anchorage for DELINBUS. Black <i>Every DENLIBUS needs four anchors. 18mm diameter hole and 150 mm depth</i>	100	FT73

		GENERAL CATALOG		OCT'20
		Description	Standard Pack Units	Catalog File Data Sheet
POS	Work beacons BAND			
117	 <p>BAND1101422</p>	<p>Beacon work with double-sided chevron White / red. With individual flashing light and 28kg black rubber base. Batteries not included.</p> <p><i>Composed of shovel of 1.360x290x50mm in PE blown, more base of black rubber of 775x390x120mm 28Kg. and flashing lantern on a 12-LED yellow PC.</i></p>	5	FT46
118	 <p>BANDGA22</p>	<p>Beacon work with chevron duplex white / red. Universal fixings.</p> <p><i>Universal work shovel, 1,360x290x50mm. in PE blown, with square and round finishes.</i></p>	10	FT44
119	 <p>BASEWE28</p>	<p>Universal heavy base in black rubber 28 Kg.</p> <p><i>Dimensions 775x390x120mm. With 7 holes: -3 square 40x40mm. -2 rectangular 80x40mm. -1 round Ø50mm. -1 square 60x60mm. Ergonomic grippers for easy handling.</i></p>	36	FT43
POS	Luminaires: Individual Spotlights, cascading and flashlights.			
120	 <p>FAROL19012LPC</p>	<p>Flashing light, 12 SuperLED 1 face. 180mm circular lantern in amber colored polycarbonate with twilight cell. Day mode and night mode. Batteries not included.</p> <p><i>We guarantee a duration of outdoor lighting of 800 hours or 66 days with two 6v7Ah batteries. See offer of batteries online 125 and 126</i></p>	24	FTF01
121	 <p>FAROL19012LCO</p>	<p>Special flashing light for cones, 12 SuperLED 1 side. 180mm circular lantern in amber colored polycarbonate with twilight cell. Batteries not included.</p> <p><i>We guarantee an outdoor lighting duration of 800 hours or 66 days with two 1.5V Alkalina "D" batteries.</i></p>	25	FTF03
122	 <p>CASLED5022</p>	<p>Set of 5 flashing LED lights IN CASCADE. Synchronized by Onda Radio (no cables needed). Amber colored anti-impact PP housing Includes 5 construction beacons + 5 heavy rubber bases.</p> <p><i>They comply with the UNE-EN 12352 Standard. You need a 6V and 50Ah battery, not included. See online battery offer 126.</i></p>	1	
123	 <p>CASLED5000</p>	<p>Set of 5 flashing LED lights IN CASCADE. Synchronized by Onda Radio (no cables needed). Only spotlights without support housing in amber anti-impact PP. Only lights.</p> <p><i>They comply with the UNE-EN 12352 Standard. They need a 6V and 50Ah battery, not included. See offer of batteries online 126.</i></p>	1	
124	 <p>CASLED5011</p>	<p>Set of 5 flashing LED lights IN CASCADE. Synchronized by Infrared (no cables needed). Only spotlights without support housing in anti-impact PP color orange.</p> <p><i>They comply with the UNE-EN 12352 Standard. They need a 6V and 50Ah battery, not included. See offer of batteries online 126.</i></p>	1	
125	 <p>PILA6V7A</p>	<p>Square battery 6V 7Ah. Black.</p> <p><i>It is supplied in boxes of 24 units.</i></p>	24	
126	 <p>PILA6V50A</p>	<p>Square battery 6V 50 Ah. Black.</p> <p><i>It is supplied in boxes of 20 units.</i></p>	20	

		GENERAL CATALOG		OCT'20
		Description	Standard Pack Units	Catalog File Data Sheet
POS	SPEED REDUCERS			
108	 <p>REDUC32AC Speed reducer for 50 km/h speed limit. Height 32mm. <i>Dimensions 600x500x32mm. Weight 7Kg Eight yellow marks. It includes its 4 fixings</i></p>	12	FTR01	
109	 <p>REDUC50AC Speed reducer for 30 km/h speed limit. Height 50mm. <i>Dimensions 600x500x50mm. Weight 7Kg Eight yellow marks. It includes its 4 fixing</i></p>	12	FTR01	
110	 <p>REDUC50GRAC Speed reducer for 30 km/h speed limit. Height 50mm. <i>Dimensions 900x500x50mm. Weight 7Kg Eight yellow marks. It includes its 4 fixing</i></p>	12	FTR01	
111	 <p>TERMI32ACM/H Terminal for REDUC32AC speed limit. Height 32mm. <i>Dimensions 600x250x32mm. It includes its 2 fixing.</i></p>	2	FTR01	
112	 <p>TERMI50ACM/H Terminal for REDUC50AC speed limit. Height 50mm. <i>Dimensions 600x250x50mm. It includes its 2 fixing.</i></p>	2	FTR01	
113	 <p>TERMI50GRACM/H Terminal for REDUC50ACGRAC speed limit. Height 50mm. <i>Dimensions 900x250x50mm. It includes its 2 fixing.</i></p>	2	FTR01	
BERLIN CUSHIONS				
114	 <p>BERLIN15090 ECONOMIC Berlin Cushion with 4 assembled parts and 16 fixings. Dimensions 1500x900mm. Height 50mm for 30km/h speed limit. Yellow marks reflective non-slip</p>	1	FTR03	
115	 <p>BERLIN2217 OCTOGONAL Berlin cushion of 9 assembled parts. Dimensions 170cm x 170cm. White or yellow vulcanized arrows in mass. Black color. Installation by 36 anchors.</p>	1		
116	 <p>BERLIN2217 OCTOGONAL Berlin cushion of 12 assembled parts. Dimensions 220cm x 170cm. White or yellow vulcanized arrows in mass. Black color. Installation by 50 anchors</p>	1		
117	 <p>BEREU1815N/R EUROPA Series Berlin cushion. Dimensions 180x150x6.5cm. Made of vulcanized rubber colors BLACK or RED</p>	1		
118	 <p>BEREU18225N/R EUROPA Series Berlin cushion. Dimensions 180x225x6.5cm. Made of vulcanized rubber colors BLACK or RED.</p>	1		
119	 <p>BEREU1830N/R EUROPA Series Berlin cushion. Dimensions 180x300x6.5cm. Made of vulcanized rubber colors BLACK or RED.</p>	1		